





# One platform to fit your Liquid and Soluble applications

The RIVERO & BOLERO TURBO SERIES has been developed to meet the requirements of the fast-moving self-service market, such as 24/7 stores, gas stations and catering companies; places where people can help themselves to premium coffees. Depending on the ingredients of your choice, you can serve almost any hot drink!

Obviously, **EASE OF USE** and **SELF-EVIDENT OPERATION** are the key features of these eye-catching dispensers. The series offers solutions for BIBs, solubles or a combination of both for even more flavors. Bravilor Bonamat successfully combines high performance dispensing and advanced technologies, creating exceptional equipment with a **LOW COST OF OWNER-SHIP**.

### Rivero Turbo — Liquid concentrate/soluble dispensers

#### **Rivero Turbo 203**



#### LIQUID (2)

- Pre-select S/M/L
- Portion Control
- Push-n-Hold
- 2 drink + separate hot water dispensing
- Simultaneous dispense
- BIB-empty detection
- Ventilated System

#### **Rivero Turbo 123**



### LIQUID (1) SOLUBLE (2)

- Pre-select S/M/L
- Portion Control
- Push-n-Hold
- 3 drink dispensing
- Simultaneous dispenseBIB-empty detection
- Ventilated System

#### **Rivero Turbo 121**



#### LIQUID (1) SOLUBLE (2)

- 5 drinks + separate hot water
- Single dispensing
- Single size
  Portion Control
- · BIB-empty detection
- Ventilated System

### Bolero Turbo — Soluble dispensers

#### **Bolero Turbo 333**



#### **SOLUBLE (3)**

- Pre-select S/M/L
- Portion Control
- Push-n-Hold
- 3 drink dispensing
- Simultaneous dispense

#### **Bolero Turbo 433**

### **SOLUBLE (4)**

- Pre-select S/M/L
- Portion Control
- Push-n-Hold
- 3 drink dispensing
- · Simultaneous dispense

#### More flavors!

The single outlet model (Rivero Turbo 121) allows for serving specialty drinks, like cappuccino with a liquid coffee base and soluble milk.



## The taste of quality worldwide

# The new standard for Liquid and Solubles



The Bravilor Bonamat patented parts (e.g. water selector and valve-less hot water system) ensure minimum failure. The well thought-out components not only reduce service calls for defective valves, they also avoid costly downtime. In addition, the Teflon<sup>tm</sup>-infused anti-caking mixing units and easy service accessibility result in a low average of service visits per year.





	The same of the sa	76			Commence of the last of the la
Model	Rivero Turbo 203 BLRXLL-027	Rivero Turbo 123 BLRXLL-030	Rivero Turbo 121 BLRXLL-030	Bolero Turbo 333 BLRXLF-020	Bolero Turbo 433 BLRXLF-020
No. of BIBs	2 x 1 gal. (4 L)	1 x 1 gal. (4 L)	1 x 1 gal. (4 L)	-	-
No. of hoppers	-	2 x 2-3 lb. (1.3 L)	2 x 2-3 lb. (1.3 L)	1 x 11-15 lb. (5.3 L) 2 x 5-7 lb. (2.4 L)	4 x 5-7 lb. (2.4 L)
Throughput per hour	5.5 gal. (21 L)	5.5 gal. (21 L)	5.5 gal. (21 L)	5.5 gal. (21 L)	5.5 gal. (21 L)
Rated power	120V~ 50/60Hz 1760W (15A)	120V~ 50/60Hz 1760W (15A)	120V~ 50/60Hz 1760W (15A)	120V~ 50/60Hz 1760W (15A)	120V~ 50/60Hz 1760W (15A)
Dispense time (single draw-off)	0.29 gal. (1.1 L) per minute	0.29 gal. (1.1 L) per minute	0.4 gal. (1.5 L) per minute	0.4 gal. (1.5 L) per minute	0.4 gal. (1.5 L) per minute
Dispense time (dual draw-off)	0.4 gal. (1.5 L) per minute	0.4 gal. (1.5 L) per minute	-	-	-
Hot water	Yes	No	Yes	No	No
Cup clearance	7" (180 mm)	7" (180 mm)	7" (180 mm)	7" (180 mm)	7" (180 mm)
Water pressure	min. 14.5 psi (1 bar)	min. 14.5 psi (1 bar)	min. 14.5 psi (1 bar)	min. 14.5 psi (1 bar)	min. 14.5 psi (1 bar)
Dimensions (wxdxh)	12½x18¼x32" (317x463x812 mm)	12½x18¼x32" (317x463x812 mm)	12½x18¼x32" (317x463x812 mm)	12½x18¼x32" (317x463x812 mm)	12½x18¼x32" (317x463x812 mm)
Attached	Cord & plug 5-15P	Cord & plug 5-15P	Cord & plug 5-15P	Cord & plug 5-15P	Cord & plug 5-15P
Weight (net)	58 lb. (28.2 kg)	58 lb. (28.2 kg)	58 lb. (28.2 kg)	58 lb. (28.2 kg)	58 lb. (28.2 kg)
Water supply	Yes	Yes	Yes	Yes	Yes

Depending on the choice of your BIB(s) and/or solubles you can serve hot beverages such as: Coffee, Decaf, Latte, Cappuccino, Mocha, Espresso, Hot Chocolate, Hot Chocolate Deluxe, Steamers and French Vanilla. And depending on the model, the machine supplies Hot Water from a separate outlet too!

Your Bravilor Bonamat Dealer





The "Terms and Conditions" of Bravilor Bonamat LLC for any and all products or equipment solely govern the relationship between Bravilor Bonamat LLC and the Client. Warnings related to each product or each equipment are bundled with such product's or equipment's materials and the Client acknowledges that it shall review and solely rely upon such product or equipment materials.

Bravilor Bonamat continuously researches, develops and improves products and equipment. Bravilor Bonamat reserves the right to change specifications and designs without notice. Such revisions do not entitle the Client to corresponding changes, improvements, additions or replacements for previously purchased product or equipment.



www.bravilor.com